

ON MODEL FOR ANALYSIS OF SKELETAL MUSCLE CONTRACTION

E.L. PANKRATOV

Nizhny Novgorod State Agrotechnical University, 97 Gagarin Avenue, Nizhny Novgorod, Russia
E-mail: elp2004@mail.ru

Received: 06 May 2025; Revised: 05 June 2025;
Accepted 13 June 2025; Publication: 29 June 2025

Abstract: We introduce a model for the analysis of skeletal muscle contraction with account its deformation properties. We also introduce an analytical approach for analysis of the considered muscle contraction.

Keywords: muscle contraction; process model; analytical approach for analysis.

INTRODUCTION

The prognosis of muscle contraction is an important factor in the study of the physiological characteristics of human movement. Knowledge of the informative parameters of the mechanical properties of the muscle is used in medicine in the treatment of patients [1-5]. In sports, the prediction of human muscle movement helps coaches improve the effectiveness of sports training. The capabilities of modern models allow conducting research and introducing correction into the treatment and training methods directly during its implementation. In this paper, we propose a model for the analysis of skeletal muscle contraction, which takes into account its deformation properties. We introduce an analytical approach for analysis of the considered muscle contraction.

METHOD OF SOLUTION

In this section, we consider the model of skeletal muscle contraction and analyze it. In the framework of the model under consideration, we will assume that the

To cite this paper:

E.L. Pankratov (2025). On Model for Analysis of Skeletal Muscle Contraction. *Journal of Applied Biology and Agriculture*. 2(1-2), 73-77.

muscle is a locally flat object and has the structure “elastic thread - elastic-viscous substrate”: it is a set of parallel threads connected to an elastic-viscous substrate. We will assume that the effective layer of tissue with depth H is reduced. A linear law of distribution along the coordinate q of the component of the displacement field normal to the muscle surface is adopted

$$U(y, z, t) = V(z, t)[1 + \alpha(y, z, t) \cdot y/z], \quad (1)$$

where $U(y, z, t)$ is the normal to the muscle surface component of the displacement vector field; $V(z, t)$ is the movement of a fiber point along the Oy axis, spaced from the edge at a distance z ; H is the depth of the effective layer of the substrate; y is the coordinate directed from the free surface of the muscle; z is the fiber axis coordinate; α is the empirical parameter that takes into account possible deviations of the system under consideration from ideality. The equation of transverse oscillations of a thread on an elastic-viscous substrate has the following form [6]

$$m \frac{\partial^2 V(z, t)}{\partial t^2} = \frac{\partial}{\partial z} \left[T(y, z, t) \frac{\partial V(z, t)}{\partial z} \right] - q(y, z, t) \quad (2)$$

where m is the mass of a unite of the thread; $T(y, z, t)$ it the thread tension force; $q(y, z, t)$ is the distributed shear force from the side of the substrate, directed against the axis y . Force $q(y, z, t)$ is determined through the tension in the muscle - the substrate σ , multiplied by the effective width b : $q = \sigma b$. As boundary conditions, equation (2) is supplemented by the conditions for fastening the thread

$$V(0, t) = 0, \quad V(L, t) = 0, \quad (3a)$$

where L is the effective thread length. Initial conditions for the function $V(z, t)$ could be written as

$$V(z, 0) = V_0 \frac{\partial V(z, t)}{\partial t} \Big|_{t=0} = 0 \quad (3b)$$

We solve the equation (2) with conditions (3) by recently introduced method of functional corrections [7,8]. In the framework of the approach we transform thread tension force $T(y, z, t)$ to the following form

$$\Gamma(y, z, t) = T_0[1 + \varepsilon \cdot g(y, z, t)], \quad (4)$$

where T_0 is the average value of the considered force, $0 \leq \varepsilon < 1$, $|g(y, z, t)| \leq 1$. We determine solution of the equation (2) as the following power series

$$V(z, t) = \sum_{i=0}^{\infty} \varepsilon^i V_i(z, t) \tag{5}$$

Substitution of the considered form of solution (5) and relation (4) into equation (2) and conditions (3) as well as grouping of terms at equal powers of the parameter ε gives a possibility to obtain equations for functions $V_i(z, t)$, boundary and initial conditions for them in the following form

$$m \frac{\partial^2 V_0(z, t)}{\partial t^2} = T_0 \frac{\partial^2 V_0(z, t)}{\partial z^2} - q(y, z, t) \tag{6a}$$

$$m \frac{\partial^2 V_i(z, t)}{\partial t^2} = T_0 \frac{\partial^2 V_i(z, t)}{\partial z^2} + T_0 \frac{\partial}{\partial z} \left\{ g(y, z, t) \frac{\partial V_{i-1}(z, t)}{\partial z} \right\}, \quad i \geq 1, \tag{6b}$$

$$V_i(0, t) = 0, \quad V_i(L, t) = 0, \quad \left. \frac{\partial V_i(z, t)}{\partial t} \right|_{t=0} = 0, \quad i \geq 0; \quad V_0(z, 0) = V_0, \quad V_i(z, 0) = 0, \quad i \geq 1. \tag{7}$$

Equations (6) with conditions (7) were solve by Fourier variable separation method [9]. The considered solutions could be presented in the following form

$$V_0(z, t) = \frac{V_0 L}{\pi} \sum_{n=0}^{\infty} \left[(-1)^n - 1 \right] \sin\left(\frac{\pi n z}{L}\right) \sin\left(\sqrt{\frac{T_0}{m}} \frac{t}{L}\right) - \frac{T_0}{m} \sum_{n=0}^{\infty} \sin\left(\frac{\pi n z}{L}\right) \sin\left(\sqrt{\frac{T_0}{m}} \frac{t}{L}\right) \int_0^L q(y, z, t) \sin\left(\frac{\pi n z}{L}\right) dz \tag{8}$$

$$V_i(z, t) = -\frac{\pi n T_0}{L m} \sum_{n=0}^{\infty} \sin\left(\frac{\pi n z}{L}\right) \sin\left(\sqrt{\frac{T_0}{m}} \frac{t}{L}\right) \times \int_0^L \left\{ g(y, z, t) \frac{\partial V_{i-1}(z, t)}{\partial z} \right\} \cos\left(\frac{\pi n z}{L}\right) dz \tag{9}$$

Spatio-temporal distributions of the movement of a fiber point along the Oy axis was analyzed analytically by using the second-order approximation in the framework of the method of function corrections. The approximation is usually enough good approximation for to make qualitative analysis and to obtain some quantitative results. All obtained results have been checked by comparison with results of numerical simulations.

DISCUSSION

In this section, we will analyze the spatio-temporal distribution of the fiber point displacement along the Oy axis. Figure 1 shows typical dependences of the considered distribution on the coordinate during fiber compression for various values of the external force q . An increase in the curve number q corresponds to an increase in the force under consideration. Stretching the fiber leads to the opposite result. A similar result was obtained when analyzing the change in fiber over time.




Figure 1: Typical dependences of the distribution of the fiber point displacement along the Oy axis for various values of the external force q . An increase in the curve number corresponds to an increase in the considerate force

CONCLUSION

In this paper, we propose a model for the analysis of skeletal muscle contraction, which takes into account its deformation properties. We analyzed the considered model. We introduce an analytical approach for analysis of the considered muscle contraction.

References

- [1] I.N. Kiselev, I.R. Akberdin, A. Vertyshev, D.V. Popov, F.A. Kolpakov. Mathematical modeling. **Vol. 14** (2). P. 373-392 (2019).
- [2] Ya.S. Pekker, K.S. Brazovskiy. *Mathematical modeling of polyvariant living systems* (Tomsk: Publishing House of the Siberian State Medical University, 2019).
- [3] M.A. Petrov. Mathematical and physical models of muscle contraction. Issue 1. P. 21-24 (2022).
- [4] D.A. Chernous, S.V. Shilko. *Russian Journal of Biomechanics*. **Vol. 10** (3). P. 53-62 (2006).
- [5] V.I. Deshcherevsky. *Mathematical models of muscle contraction* (Moscow: Nauka, 1977).
- [6] C. Marque. Uterine EHG processing for obstetrical monitoring. *IEEE transactions on biomedical engineering*. **Vol. 33** (12). P. 1182-1187 (1986).
- [7] E.L. Pankratov. *Physical review B*. **Vol. 72** (7). P. 075201-075208 (2005).
- [8] E.L. Pankratov, E.A. Bulaeva. *Reviews in theoretical science*. **Vol. 1** (1). P. 58-82 (2013).
- [9] A.N. Tikhonov, A.A. Samarsky. *Equations of Mathematical Physics* (Moscow: Science, 1977).